

Ref.	Tamaño	Dimensions mm				Material	Peso
	Size	D	d	s			Weight (g)

JUNTAS PLANAS PARA VK Y MB | Seals FOR VK AND MB

EDA154	50	61,5	49	4,5	TEFLON	11
EDA179	80	90	77	5,5	TEFLON	25
EDA183	100	114	100	7	TEFLON	26
EDA152	50	61,5	49	4,8	VITON	10
EDA177	80	92	77	6	VITON	21
EDA1800	100	114	100	7	VITON	28



JUNTAS LABIALES PARA MK | Seals FOR MK

EDA253	50	61,5	49	4,8	HYPALON	11
EDA278	80	92	77	6	HIYALON	23
EDA202	100	114	100	7	HIYALON	20
EDA251	50	61,5	49	4,8	NBR	9
EDA276	80	92	77	6	NBR	18
EDA200	100	114	100	7	NBR	16
EDA250	50	61,5	49	4,8	VULKOLLAN	8
EDA275	80	92	77	6	VULKOLLAN	15
EDA252	50	61,5	49	5,5	VITON	12
EDA277	80	92	77	7	VITON	27
EDA201	100	114	77	4,8	VITON	28
EDA203	100	114	100	6	TEFLON	26

Ref.	Tamaño	Material	Peso
	Size		Weight (g)

CADENAS PARA TAPONES | CHAIN FOR PLUGS

EDA050	200	LATÓN	20
EDA051	300	LATÓN	30
EDA049	200	INOX-316	20



RACORES TIPO / COUPLINGS TYPE

CAMLOCK

Acoples rápidos / Quick couplings

Norma Racores según MIL-C-27487 / DIN 12115. | Norm Couplings according MIL-C-27487 / DIN 12115.

Ref.	Tamaño	Material	Peso
	Size		Weight (kg)

TIPO-A ADAPTADOR CON ROSCA HEMBRA | ADAPTOR FEMALE THREAD

BAA100	1/2"	ALUMINIO	0,023
BAA101	3/4"	ALUMINIO	0,05
BAA102	1"	ALUMINIO	0,06
BAA103	1 1/4"	ALUMINIO	0,09
BAA104	1 1/2"	ALUMINIO	0,13
BAA105	2"	ALUMINIO	0,18
BAA106	2 1/2"	ALUMINIO	0,37
BAA107	3"	ALUMINIO	0,52
BAA108	4"	ALUMINIO	0,81
BAA109	5"	ALUMINIO	0,74
BAA110	6"	ALUMINIO	1,1
BAA111	1/2"	LATÓN	0,12
BAA112	3/4"	LATÓN	0,14
BAA113	1"	LATÓN	0,2



CAMLOCK

Acoples rápidos / Quick couplings

Norma Racores según MIL-C-27487 / DIN 12115. | Norm Couplings according MIL-C-27487 / DIN 12115.

Ref.	Tamaño Size	Material	Peso Weight (kg)
------	----------------	----------	---------------------

TIPO-A ADAPTADOR CON ROSCA HEMBRA | ADAPTOR FEMALE THREAD

BAA114	1 1/4"	LATÓN	0,3
BAA115	1 1/2"	LATÓN	0,42
BAA116	2"	LATÓN	0,53
BAA117	2 1/2"	LATÓN	1,2
BAA118	3"	LATÓN	1,13
BAA119	4"	LATÓN	1,9
BAA120	5"	LATÓN	0,624
BAA121	6"	LATÓN	3,49
BAA129	1/2"	INOX-316	0,084
BAA130	3/4"	INOX-316	0,14
BAA131	1"	INOX-316	0,19
BAA132	1 1/4"	INOX-316	0,25
BAA133	1 1/2"	INOX-316	0,39
BAA134	2"	INOX-316	0,5
BAA135	2 1/2"	INOX-316	0,84
BAA136	3"	INOX-316	1,12
BAA137	4"	INOX-316	1,9
BAA138	5"	INOX-316	1,502
BAA139	6"	INOX-316	3,07
BAA123	3/4"	POLIPROPILENO	0,03
BAA124	1"	POLIPROPILENO	0,04
BAA126	1 1/2"	POLIPROPILENO	0,08
BAA127	2"	POLIPROPILENO	0,11
BAA128	3"	POLIPROPILENO	0,22

TIPO-B ACOPLER ROSCA MACHO | COUPLER MALE

BAB100	1/2"	ALUMINIO	0,084
BAB101	3/4"	ALUMINIO	0,09
BAB102	1"	ALUMINIO	0,16
BAB103	1 1/4"	ALUMINIO	0,31
BAB104	1 1/2"	ALUMINIO	0,31
BAB105	2"	ALUMINIO	0,38
BAB106	2 1/2"	ALUMINIO	0,53
BAB107	3"	ALUMINIO	0,75
BAB108	4"	ALUMINIO	1,09
BAB111	1/2"	LATÓN	0,16
BAB112	3/4"	LATÓN	0,21
BAB113	1"	LATÓN	0,35
BAB114	1 1/4"	LATÓN	0,64
BAB115	1 1/2"	LATÓN	0,68
BAB116	2"	LATÓN	0,8
BAB117	2 1/2"	LATÓN	1,39
BAB118	3"	LATÓN	1,78
BAB119	4"	LATÓN	2,71
BAB129	1/2"	INOX-SS	0,13
BAB131	3/4"	INOX-SS	0,26
BAB132	1"	INOX-SS	0,42
BAB133	1 1/4"	INOX-SS	0,71
BAB134	1 1/2"	INOX-SS	0,65



Ref.	Tamaño	Material	Peso
	Size		Weight (kg)

TIPO-B ACOPLE ROSCA MACHO | COUPLER MALE

BAB135	2"	INOX-SS	0,87
BAB136	2 1/2"	INOX-SS	1,32
BAB137	3"	INOX-SS	2,89
BAB138	4"	INOX-SS	1,81
BAB123	3/4"	POLIPROPILENO	0,07
BAB124	1"	POLIPROPILENO	0,12
BAB126	1 1/2"	POLIPROPILENO	0,25
BAB127	2"	POLIPROPILENO	0,29
BAB128	3"	POLIPROPILENO	0,53

TIPO-C ACOPLE PARA MANGUERA | COUPLER SHANK

BAC100	1/2"	ALUMINIO	0,08
BAC101	3/4"	ALUMINIO	0,09
BAC102	1"	ALUMINIO	0,17
BAC103	1 1/4"	ALUMINIO	0,33
BAC104	1 1/2"	ALUMINIO	0,39
BAC105	2"	ALUMINIO	0,46
BAC106	2 1/2"	ALUMINIO	0,51
BAC107	3"	ALUMINIO	0,99
BAC108	4"	ALUMINIO	1,33
BAC109	5"	ALUMINIO	1,65
BAC110	6"	ALUMINIO	3,14
BAC111	1/2"	LATÓN	0,17
BAC112	3/4"	LATÓN	0,24
BAC113	1"	LATÓN	0,41
BAC114	1 1/4"	LATÓN	0,72
BAC115	1 1/2"	LATÓN	0,75
BAC116	2"	LATÓN	1,04
BAC117	2 1/2"	LATÓN	1,39
BAC118	3"	LATÓN	2,28
BAC119	4"	LATÓN	3,96
BAC120	5"	LATÓN	6,01
BAC121	6"	LATÓN	8,32
BAC123	3/4"	POLIPROPILENO	0,07
BAC124	1"	POLIPROPILENO	0,068
BAC1240	1 1/4"	POLIPROPILENO	0,104
BAC125	1 1/2"	POLIPROPILENO	0,31
BAC127	2"	POLIPROPILENO	0,34
BAC128	3"	POLIPROPILENO	0,6
BAC131	3/4"	INOX-316	0,19
BAC132	1"	INOX-316	0,41
BAC133	1 1/4"	INOX-316	0,67
BAC134	1 1/2"	INOX-316	0,77
BAC135	2"	INOX-316	0,94
BAC136	2 1/2"	INOX-316	1,35
BAC137	3"	INOX-316	2,06
BAC138	4"	INOX-316	3,66

TIPO-D ACOPLE ROSCA HEMBRA | COUPLER FEMALE

BAD100	1/2"	ALUMINIO	0,075
BAD101	3/4"	ALUMINIO	0,112
BAD102	1"	ALUMINIO	0,16
BAD103	1 1/4"	ALUMINIO	0,32
BAD104	1 1/2"	ALUMINIO	0,4



CAMLOCK

Acoples rápidos / Quick couplings

Norma Racores según MIL-C-27487 / DIN 12115. | Norm Couplings according MIL-C-27487 / DIN 12115.

Ref.	Tamaño Size	Material	Peso Weight (kg)
------	----------------	----------	---------------------

TIPO-D ACOPLE ROSCA HEMBRA | COUPLER FEMALE

BAD105	2"	ALUMINIO	0,62
BAD107	3"	ALUMINIO	0,89
BAD108	4"	ALUMINIO	1,25
BAD109	5"	ALUMINIO	1,4
BAD110	6"	ALUMINIO	2,58
BAD111	1/2"	LATÓN	0,188
BAD112	3/4"	LATÓN	0,23
BAD113	1"	LATÓN	0,36
BAD114	1 1/4"	LATÓN	0,68
BAD115	1 1/2"	LATÓN	0,99
BAD116	2"	LATÓN	1,01
BAD117	2 1/2"	LATÓN	1,49
BAD118	3"	LATÓN	2,02
BAD119	4"	LATÓN	3,27
BAD120	5"	LATÓN	3,845
BAD121	6"	LATÓN	7,3
BAD129	1/2"	INOX-316	0,162
BAD130	3/4"	INOX-316	0,21
BAD131	1"	INOX-316	0,39
BAD132	1 1/4"	INOX-316	0,62
BAD133	1 1/2"	INOX-316	0,87
BAD134	2"	INOX-316	0,98
BAD135	2 1/2"	INOX-316	1,23
BAD136	3"	INOX-316	1,82
BAD137	4"	INOX-316	2,88
BAD138	5"	INOX-316	2,65
BAD139	6"	INOX-316	8
BAD123	3/4"	POLIPROPILENO	0,08
BAD124	1"	POLIPROPILENO	0,13
BAD126	1 1/2"	POLIPROPILENO	0,26
BAD127	2"	POLIPROPILENO	0,32
BAD128	3"	POLIPROPILENO	0,57

TIPO-E ADAPTADOR PARA MANGUERA | ADAPTOR HOSE SHANK

BAE100	1/2"	ALUMINIO	0,032
BAE101	3/4"	ALUMINIO	0,06
BAE102	1"	ALUMINIO	0,1
BAE103	1 1/4"	ALUMINIO	0,15
BAE104	1 1/2"	ALUMINIO	0,21
BAE105	2"	ALUMINIO	0,31
BAE106	2 1/2"	ALUMINIO	0,39
BAE107	3"	ALUMINIO	0,6
BAE108	4"	ALUMINIO	1,19
BAE109	5"	ALUMINIO	1,21
BAE110	6"	ALUMINIO	1,728
BAE111	1/2"	LATÓN	0,12
BAE112	3/4"	LATÓN	0,19
BAE113	1"	LATÓN	0,22
BAE114	1 1/4"	LATÓN	0,51



Ref.	Tamaño	Material	Peso
	Size		Weight (kg)

TIPO-E ADAPTADOR PARA MANGUERA | ADAPTOR HOSE SHANK

BAE115	1 1/2"	LATÓN	0,53
BAE116	2"	LATÓN	1
BAE117	2 1/2"	LATÓN	1,34
BAE118	3"	LATÓN	1,91
BAE119	4"	LATÓN	3,73
BAE129	1/2"	INOX-316	0,88
BAE130	3/4"	INOX-316	0,16
BAE131	1"	INOX-316	0,26
BAE132	1 1/4"	INOX-316	0,44
BAE133	1 1/2"	INOX-316	0,57
BAE134	2"	INOX-316	0,9
BAE135	2 1/2"	INOX-316	1,21
BAE136	3"	INOX-316	1,7
BAE137	4"	INOX-316	2,232
BAE123	03-abr	POLIPROPILENO	0,02
BAE124	1"	POLIPROPILENO	0,04
BAE125	1 1/4"	POLIPROPILENO	—
BAE126	1 1/2"	POLIPROPILENO	0,14
BAE127	2"	POLIPROPILENO	0,15
BAE128	3"	POLIPROPILENO	0,62

TIPO-F ADAPTADOR CON ROSCA MACHO | ADAPTOR MALE THREAD

BAF100	1/2"	ALUMINIO	0,054
BAF101	3/4"	ALUMINIO	0,06
BAF102	1"	ALUMINIO	0,1
BAF103	1 1/4"	ALUMINIO	0,16
BAF104	1 1/2"	ALUMINIO	0,15
BAF105	2"	ALUMINIO	0,3
BAF106	2 1/2"	ALUMINIO	0,5
BAF107	3"	ALUMINIO	0,67
BAF108	4"	ALUMINIO	0,85
BAF109	5"	ALUMINIO	0,898
BAF110	6"	ALUMINIO	1,92
BAF111	1/2"	LATÓN	0,12
BAF112	3/4"	LATÓN	0,2
BAF113	1"	LATÓN	0,31
BAF114	1 1/4"	LATÓN	0,52
BAF115	1 1/2"	LATÓN	0,63
BAF116	2"	LATÓN	0,89
BAF117	2 1/2"	LATÓN	1,07
BAF118	3"	LATÓN	1,62
BAF119	4"	LATÓN	2,78
BAF120	5"	LATÓN	4
BAF121	6"	LATÓN	4,8
BAF129	1/2"	INOX-316	0,11
BAF131	3/4"	INOX-316	0,18
BAF132	1"	INOX-316	0,31
BAF133	1 1/4"	INOX-316	0,51
BAF134	1 1/2"	INOX-316	0,67
BAF135	2"	INOX-316	0,97
BAF136	2 1/2"	INOX-316	1,61
BAF137	3"	INOX-320	1,86
BAF138	4"	INOX-317	3,23
BAF139	5"	INOX-318	3,9



RACORES TIPO / COUPLINGS TYPE



CAMLOCK

Acoples rápidos / Quick couplings

Norma Racores según MIL-C-27487 / DIN 12115. | Norm Couplings according MIL-C-27487 / DIN 12115.

Ref.	Tamaño Size	Material	Peso Weight (kg)
------	----------------	----------	---------------------

TIPO-F ADAPTADOR CON ROSCA MACHO | ADAPTOR MALE THREAD

BAF140	6"	INOX-319	4,5
BAF123	3/4"	POLIPROPILENO	0,02
BAF124	1"	POLIPROPILENO	0,06
BAF125	1 1/4"	POLIPROPILENO	0,1
BAF126	1 1/2"	POLIPROPILENO	0,1
BAF127	2"	POLIPROPILENO	0,16
BAF128	3"	POLIPROPILENO	0,4

DP TAPÓN | DUST PLUG

BAG100	1/2"	ALUMINIO	0,018
BAG101	3/4"	ALUMINIO	0,04
BAG102	1"	ALUMINIO	0,04
BAG103	1 1/4"	ALUMINIO	0,08
BAG104	1 1/2"	ALUMINIO	0,09
BAG105	2"	ALUMINIO	0,15
BAG106	2 1/2"	ALUMINIO	0,22
BAG107	3"	ALUMINIO	0,29
BAG108	4"	ALUMINIO	0,48
BAG111	1/2"	LATÓN	0,056
BAG112	3/4"	LATÓN	0,14
BAG118	3"	LATÓN	0,94
BAG119	4"	LATÓN	1,61
BAG127	1/2"	INOX-316	0,06
BAG128	3/4"	INOX-316	0,14
BAG129	1"	INOX-316	0,16
BAG130	1 1/4"	INOX-316	0,27
BAG131	1 1/2"	INOX-316	0,38
BAG132	2"	INOX-316	0,54
BAG133	2 1/2"	INOX-316	0,77
BAG134	3"	INOX-316	0,96
BAG135	4"	INOX-316	1,57
BAG122	3/4"	POLIPROPILENO	0,012
BAG123	1"	POLIPROPILENO	0,02
BAG124	1 1/2"	POLIPROPILENO	0,07
BAG125	2"	POLIPROPILENO	0,28
BAG126	3"	POLIPROPILENO	0,2

DC ACOPLE TAPÓN | DUST CAP

BAH100	1/2"	ALUMINIO	0,078
BAH101	3/4"	ALUMINIO	0,09
BAH102	1"	ALUMINIO	0,14
BAH103	1 1/4"	ALUMINIO	0,29
BAH104	1 1/2"	ALUMINIO	0,29
BAH105	2"	ALUMINIO	0,39
BAH106	2 1/2"	ALUMINIO	0,43
BAH107	3"	ALUMINIO	0,72
BAH108	4"	ALUMINIO	0,96
BAH109	5"	ALUMINIO	0,84



Ref.	Tamaño	Material	Peso
	Size		Weight (kg)

DC ACOPLE TAPÓN | DUST CAP

BAH110	6"	ALUMINIO	1,86
BAH111	1/2"	LATÓN	0,14
BAH112	3/4"	LATÓN	0,21
BAH113	1"	LATÓN	0,3
BAH114	1 1/4"	LATÓN	0,64
BAH115	1 1/2"	LATÓN	0,62
BAH116	2"	LATÓN	0,78
BAH117	2 1/2"	LATÓN	1,05
BAH118	3"	LATÓN	1,61
BAH119	4"	LATÓN	2,76
BAH121	6"	LATÓN	5,36
BAH127	1/2"	INOX-316	0,13
BAH128	3/4"	INOX-316	0,18
BAH129	1"	INOX-316	0,3
BAH130	1 1/4"	INOX-316	0,56
BAH131	1 1/2"	INOX-316	0,56
BAH132	2"	INOX-316	0,7
BAH133	2 1/2"	INOX-316	1,01
BAH134	3"	INOX-316	1,46
BAH135	4"	INOX-316	2,19
BAH122	3/4"	POLIPROPILENO	0,066
BAH123	1"	POLIPROPILENO	0,102
BAH124	1 1/2"	POLIPROPILENO	0,184
BAH125	2"	POLIPROPILENO	0,24



RACORES TIPO / COUPLINGS TYPE

Ref.	Tamaño	Brida DIN (mm)	Material	Peso
	Size			Weight (kg)

LAS ADAPTADOR | DIN FLANGE ADAPTER

BBA415	3/4"	DN 20 PN 10/16	INOX-316	—
BBA416	1"	DN 25 PN 10/16	INOX-316	—
BBA417	1 1/4"	DN 32 PN 10/16	INOX-316	—
BBA418	1 1/2"	DN 40 PN 10/16	INOX-316	—
BBA419	2"	DN 50 PN 10/16	INOX-316	—
BBA420	2 1/2"	DN 65 PN 10/16	INOX-316	—
BBA421	3"	DN 80 PN 10/16	INOX-316	—
BBA422	4"	DN 100 PN 10/16	INOX-316	—
BBA424	3/4"	DN 20 PN 10/16	INOX / TEFLÓN	—
BBA425	1"	DN 25 PN 10/16	INOX / TEFLÓN	—
BBA426	1 1/4"	DN 32 PN 10/16	INOX / TEFLÓN	—
BBA427	1 1/2"	DN 40 PN 10/16	INOX / TEFLÓN	—
BBA428	2"	DN 50 PN 10/16	INOX / TEFLÓN	—
—	2 1/2"	DN 65 PN 10/16	INOX / TEFLÓN	—
BBA430	3"	DN 80 PN 10/16	INOX / TEFLÓN	—
—	4"	DN 100 PN 10/16	INOX / TEFLÓN	—

**LBS ACOPLE | DIN Flange COUPLER**

BBB415	3/4"	DN 20 PN 10/16	INOX-316	—
BBB416	1"	DN 25 PN 10/16	INOX-316	—
BBB417	1 1/4"	DN 32 PN 10/16	INOX-316	—
BBB418	1 1/2"	DN 40 PN 10/16	INOX-316	—
BBB419	2"	DN 50 PN 10/16	INOX-316	—
BBB420	2 1/2"	DN 65 PN 10/16	INOX-316	—
BBB421	3"	DN 80 PN 10/16	INOX-316	—
BBB422	4"	DN 100 PN 10/16	INOX-316	—




CAMLOCK

Acoples rápidos / Quick couplings

Norma Racores según MIL-C-27487 / DIN 12115. | Norm Couplings according MIL-C-27487 / DIN 12115.

Ref.	Tamaño	Dimensions mm			Material	Peso
	Size	D/L	d	s		Weight (g)
PALANCA HANDLE						
BAH520	1/2"	40	4	7,5	INOX-316	18
BAH521	3/4"	40	4	7,5	INOX-316	18
BAH527	1"	48	5,4	9,5	INOX-316	28
BAH527	1 1/4"	67	6,3	11	INOX-316	67
BAH527	1 1/2"	67	6,3	11	INOX-316	67
BAH527	2"	67	6,3	11	INOX-316	67
BAH527	2 1/2"	67	6,3	11	INOX-316	67
BAH531	3"	78	8	14	INOX-316	125
BAH531	4"	78	8	14	INOX-316	125




CAMLOCK

Juntas / Seals

Norma Racores según MIL-C-27487 / DIN 12115. | Norm Couplings according MIL-C-27487 / DIN 12115.

Ref.	Tamaño	Dimensions mm			Material	Peso
	Size	D/L	d	s		Weight (g)
JUNTAS SEALS						
BBM000	1/2"	26	17	4	NEOPRENO	3,0
BBM001	3/4"	35	22	5,5	NEOPRENO	6,0
BBM002	1"	40	27	6,4	NEOPRENO	6,0
BBM003	1 1/4"	50	35	6,4	NEOPRENO	11,0
BBM004	1 1/2"	56	41	6,4	NEOPRENO	14,0
BBM005	2"	67	51	6,4	NEOPRENO	17,0
BBM006	2 1/2"	80	60	6,4	NEOPRENO	25,0
BBM007	3"	95	76	6,4	NEOPRENO	30,0
BBM008	4"	124	102	6,4	NEOPRENO	45,0
BBM010	1/2"	26	17	4	VITÓN	3,0
BBM011	3/4"	35	22	5,5	VITÓN	6,0
BBM012	1"	40	27	6,4	VITÓN	6,0
BBM013	1 1/4"	50	35	6,4	VITÓN	11,0
BBM014	1 1/2"	56	41	6,4	VITÓN	14,0
BBM015	2"	67	51	6,4	VITÓN	17,0
BBM016	2 1/2"	80	60	6,4	VITÓN	25,0
BBM017	3"	95	76	6,4	VITÓN	30,0
BBM018	4"	124	102	6,4	VITÓN	45,0



Ref.	Tamaño	Dimensions mm			Material	Peso
	Size	D/L	d	s		Weight (g)

JUNTAS | SEALS


BBM030	1/2"	26	17	4	BUNA	3,0
BBM031	3/4"	35	22	5,5	BUNA	6,0
BBM032	1"	40	27	6,4	BUNA	6,0
BBM033	1 1/4"	50	35	6,4	BUNA	11,0
BBM034	1 1/2"	56	41	6,4	BUNA	14,0
BBM035	2"	67	51	6,4	BUNA	17,0
BBM036	2 1/2"	80	60	6,4	BUNA	25,0
BBM037	3"	95	76	6,4	BUNA	30,0
BBM038	4"	124	102	6,4	BUNA	45,0

BBM050	1/2"	26	17	4	TEFLÓN / BUNA	3,0
BBM051	3/4"	35	22	5,5	TEFLÓN / BUNA	6,0
BBM052	1"	40	27	6,4	TEFLÓN / BUNA	8,0
BBM053	1 1/4"	50	35	6,4	TEFLÓN / BUNA	11,0
BBM054	1 1/2"	56	41	6,4	TEFLÓN / BUNA	14,0
BBM055	2"	67	51	6,4	TEFLÓN / BUNA	16,0
BBM056	2 1/2"	80	60	6,4	TEFLÓN / BUNA	24,0
BBM057	3"	95	76	6,4	TEFLÓN / BUNA	29,0
BBM058	4"	124	102	6,4	TEFLÓN / BUNA	43,0



BBM060	1/2"	26	17	4	TEFLÓN / VITÓN	3,0
BBM061	3/4"	35	22	5,5	TEFLÓN / VITÓN	6,0
BBM062	1"	40	27	6,4	TEFLÓN / VITÓN	8,0
BBM063	1 1/4"	50	35	6,4	TEFLÓN / VITÓN	11,0
BBM064	1 1/2"	56	41	6,4	TEFLÓN / VITÓN	14,0
BBM065	2"	67	51	6,4	TEFLÓN / VITÓN	16,0
BBM066	2 1/2"	80	60	6,4	TEFLÓN / VITÓN	24,0
BBM067	3"	95	76	6,4	TEFLÓN / VITÓN	29,0
BBM068	4"	124	102	6,4	TEFLÓN / VITÓN	43,0

BBM070	1/2"	26	17	4	TEFLÓN ENCAPS.	3
BBM071	3/4"	35	22	5,5	TEFLÓN ENCAPS.	6
BBM072	1"	40	27	6,4	TEFLÓN ENCAPS.	7,0
BBM073	1 1/4"	50	35	6,4	TEFLÓN ENCAPS.	9,0
BBM074	1 1/2"	56	41	6,4	TEFLÓN ENCAPS.	11,0
BBM075	2"	67	51	6,4	TEFLÓN ENCAPS.	13,0
BBM076	2 1/2"	80	60	6,4	TEFLÓN ENCAPS.	20,0
BBM077	3"	95	76	6,4	TEFLÓN ENCAPS.	23,0
BBM078	4"	124	102	6,4	TEFLÓN ENCAPS.	34,0

BBM020	1/2"	26	17	4	TEFLÓN	3
BBM021	3/4"	35	22	5,5	TEFLÓN	6
BBM022	1"	40	27	6,4	TEFLÓN	7
BBM023	1 1/4"	50	35	6,4	TEFLÓN	9
BBM024	1 1/2"	56	41	6,4	TEFLÓN	11
BBM025	2"	67	51	6,4	TEFLÓN	13
BBM026	2 1/2"	80	60	6,4	TEFLÓN	20
BBM027	3"	95	76	6,4	TEFLÓN	23
BBM028	4"	124	102	6,4	TEFLÓN	34



RACORES TIPO / COUPLINGS TYPE



AUTOLOCK



Acoples de seguridad / Safety quick couplings

Norma Rosca macho según BSPT ISO 2999. Rosca hembra según BSPP ISO 228/ DIN 2828

Norm Male thread BSPT according ISO 2999. Female thread according BSPP ISO 228/ DIN 2828.

Ref.	DN Nominal (mm)	Rosca - Manguera / Hose - Thread (mm)	Material	Peso Weight (kg)
------	--------------------	--	----------	---------------------

733-B ACOPLE CON ROSCA MACHO | COUPLER MALE THREAD

BBB702	3/4"	G 3/4"	INOX-316	0,42
BBB703	1"	G 1"	INOX-316	0,54
BBB704	1 1/4"	G 1 1/4"	INOX-316	0,82
BBB705	1 1/2"	G 1 1/2"	INOX-316	0,88
BBB706	2"	G 2"	INOX-316	1,17
BBB707	2 1/2"	G 2 1/2"	INOX-316	1,3
BBB708	3"	G 3"	INOX-316	2,16
BBB709	4"	G 4"	INOX-316	3,56

733-C ACOPLE PARA MANGUERA | COUPLER SHANK

BBC702	3/4"	P/M 19	INOX-316	0,42
BBC703	1"	P/M 25	INOX-316	0,52
BBC704	1 1/4"	P/M 30	INOX-316	0,76
BBC705	1 1/2"	P/M 40	INOX-316	0,79
BBC706	2"	P/M 50	INOX-316	0,9
BBC707	2 1/2"	P/M 65	INOX-316	1,19
BBC708	3"	P/M 75	INOX-316	1,66
BBC709	4"	P/M 100	INOX-316	2,95

733-D ACOPLE CON ROSCA HEMBRA | COUPLER FEMALE THREAD

BBD701	1/2"	G 1/2"	INOX-316	0,45
BBD702	3/4"	G 3/4"	INOX-316	0,45
BBD703	1"	G 1"	INOX-316	0,51
BBD704	1 1/4"	G 1 1/4"	INOX-316	0,86
BBD705	1 1/2"	G 1 1/2"	INOX-316	0,95
BBD706	2"	G 2"	INOX-316	0,96
BBD707	2 1/2"	G 2 1/2"	INOX-316	1,28
BBD708	3"	G 3"	INOX-316	1,84
BBD709	4"	G 4"	INOX-316	2,97

733-DCL TAPÓN | DUST CAP

BBD712	3/4"	P/M 19	INOX-316	0,38
BBD713	1"	P/M 25	INOX-316	0,48
BBD714	1 1/4"	P/M 30	INOX-316	0,71
BBD715	1 1/2"	P/M 40	INOX-316	0,71
BBD716	2"	P/M 50	INOX-316	0,8
BBD717	2 1/2"	P/M 65	INOX-316	1
BBD718	3"	P/M 75	INOX-316	1,39
BBD719	4"	P/M 100	INOX-316	2,25

PALANCA | HANDLE

BBH735	1/2"	G 1/2"	INOX-316	0,02
BBH735	3/4"	G 3/4"	INOX-316	0,02
BBH733	1"	G 1"	INOX-316	0,03
BBH734	1 1/4"	G 1 1/4"	INOX-316	0,07
BBH734	1 1/2"	G 1 1/2"	INOX-316	0,07
BBH734	2"	G 2"	INOX-316	0,07
BBH734	2 1/2"	G 2 1/2"	INOX-316	0,07
BBH736	3"	G 3"	INOX-316	0,12
BBH736	4"	G 4"	INOX-316	0,12

